



Trapa natans Bibliography

Acres International Corp. 1985. Marathon Battery Federal Superfund Site, Cold Spring, New York remedial investigation/feasibility study. Draft remedial Investigation Report, Main text, Appendices D, E. Prepared for the New York State Department of Environmental Conservation, Albany.

Anderson AB, Schmidt RE. 1989. Survey of larval and juvenile fish populations in water-chestnut (*Trapa natans*) beds in Tivoli South Bay, a Hudson River tidal marsh. In: Blair EA, Waldman JR, eds. Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1988. Hudson River Foundation, New York, NY. p VI-1 to VI-34

Anonymous. 2002. Addressing water chestnut in CNY. Oneida Lake and Watershed Management Plan Project News. Central New York Regional Planning and Development Board, Syracuse, NY. Fall:3-4.

Angiosperm (The) Phylogeny Group. 1998. An ordinal classification for the families of flowering plants. *Annals of the Missouri Botanical Garden* 85:531-553.

Baldisserotto C, Ferroni L, Medici V, Pagnoni A, Pellizzari M, Fasulo MP, Fagioli F, Bonora A, Pancaldi S. 2004. Specific intra-tissue responses to manganese in the floating lamina of *Trapa natans* L. *Plant Biology* (Stuttg) 6(5):578-89.

Balogh G. 1985. Ecology, distribution, and control of water chestnut in northwest Ohio. Annual report from October 1984-September 1985. Cooperative Wildlife Research Unit, Ohio State University.

Batra HN. 1962. First record of *Haltica cyanea* Weber and *Bagous* species of singhara crop. *Indian Journal of Entomology* 23:66-68.

Beavan GF. 1955. Water chestnut threatens disaster to Maryland water areas. *Maryland Tidewater News* 12(1):1-2.

- Beavan GF. 1959. The water chestnut down but not out! *Maryland Tidewater News* 15(2):8.
- Besha JA, Countryman WD. 1980. Feasibility assessment of anaerobic digestion of European water chestnuts (*Trapa natans* L.). New York State Energy Research and Development Authority 80-13, Albany.
- Bharadwaj K, Chandra V. 1980. Water chestnut (*Trapa*): supplement to cereals and a conserver of riverine waste lands. *Biological Memoirs* 5:5-12.
- Bickley WE, Cory EN. 1955. Water caltrop in the Chesapeake Bay. *Association of Southeastern Biologists Bulletin* 2:27-28.
- Brown B. 1942. Beware of the caltrop. *Natural History* May, 1942:248.
- Bogucki DJ, Gruending KG, Madden M. 1980. Remote sensing to monitor water chestnut growth in Lake Champlain. *Journal of Soil and Water Conservation* 35:79-81.
- Bove A, Hunt T. 1997. Water chestnut: An exotic plant invasion in Lake Champlain. In: Balcom NC (ed) Proceedings of the Second Northeast Conference on Nonindigenous Species, 1997 April 18-19, Burlington, VT. Connecticut Sea Grant College Program Publication CTSG-97-02. p12 (Abstract.)
- Burk CJ, Lauermann SD, Mesrobian AL. 1976. The spread of several introduced or recently invading aquatics in western Massachusetts. *Rhodora* 78:767-770.
- Cantelo WW. 1965. A Host List of the Insects of Thailand. Department of Agriculture, Royal Thai Government and the U.S. Operation Mission to Thailand, Bangkok, Thailand.
- Caraco NF, Cole JJ. 2002. Contrasting impacts of a native and alien macrophyte on dissolved oxygen in a large river. *Ecological Applications*. 12(5):1496-1509.
- Cattaneo A, Galanti G, Gentinetta S, Romo S. 1998. Epiphytic algae and macroinvertebrates on submerged and floating-leaved macrophytes in an Italian lake. *Freshwater Biology* 39:725-740.
- Chandra P, Kulshreshtha K. 2004: Chromium accumulation and toxicity in aquatic vascular plants. *The Botanical Review* 70(3):313-327.
- Clark F, Mattrick C, Shonbrun S. Rogues Gallery: New England's Notable Invasives. Shonbrun S, ed. New England Wild Flower: Conservation Notes of the New England Wild Flower Society. New England Wild Flower Society, Massachusetts.
- Clayton JS. 1996. Aquatic weeds and their control in New Zealand Lakes. *Journal of Lake and Reservoir Management*. 12(4):477-486.

- Connor J. 1978. Osprey trapped by water chestnut. *Auk* 95:610-611.
- Cook CDK. 1978. Trapaceae, p 156. In Heywood, VH (ed). Flowering Plants of the World. Mayflower Books, New York. Cook, CDK, Gut BJ, Rix EM, Schneller J, Seitz M. 1974. Water Plants of the World. Dr. Junk Publishers, The Hague, The Netherlands.
- Coote TW, Schmidt RE, Caracao. 2001. Use of a periodically anoxic *Trapa natans* bed by fishes in the Hudson River, pp IV-1 to IV-20. In: Waldman JR, Neider WC (eds), Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 2000. Hudson River Foundation, New York.
- Countryman WD. 1970. The history, spread and present distribution of some immigrant aquatic weeds in New England. *Hyacinth Control Journal* 8:50-52.
- Countryman WD. 1978. Nuisance plants in Lake Champlain: Lake Champlain Basin Study, Burlington, VT. US Department of Commerce, National Technical Information Service PB-293 439.
- Cozza R, Galanti G, Bitonti MB, AM Innocenti. 1994. Effect of storage at low temperature on the germination of the waterchestnut (*Trapa natans* L.) *Phyton* 34:315-320.
- Cronk JK, Hellquist CB. 2001. Wetland plants: Biology and ecology. Lewis Publishers, Boca Raton, FL.
- Cronquist A. 1981. An Integrated Classification of Flowering Plants. Columbia University Press, New York.
- Crow GE, Hellquist CB. 1983. Aquatic Vascular Plants of New England: Part 6. Trapaceae, Haloragaceae, Hippuridaceae. Station Bulletin 524. New Hampshire Agricultural Experiment Station, University of New Hampshire, Durham, New Hampshire.
- Crow EC, Hellquist CB. 2000. Aquatic and Wetland Plants of Northeastern North America, Vol 1. University of Wisconsin Press, Madison WI, USA.
- Cattaneo A, Galanti G, Gentinetta S, Susana a. 1998. Epiphytic algae and macroinvertebrates on submerged and floating-leaved macrophytes in an Italian lake. *Freshwater Biology* 39(4):725-740.
- Coops H, Hanganu J, Tudor M, Oosterberg W. 1999. Classification of Danube Delta lakes based on aquatic vegetation and turbidity, *Hydrobiologia* 415(0):187-191.
- Davenport GE. 1879. *Trapa natans*. *Bulletin Torrey Botany Club* 6:352.

- Deck J, Nosko P. 2002. Population establishment, dispersal, and impact of *Galerucella pusilla* and *G. californiensis*, introduced to control water chestnut in central Ontario. *Biological Control* 23:228-236.
- Dement'ev GP, Gladkov NA (eds). 1969. Birds of the Soviet Union, Vol III. Israel Program for translations, Jerusalem.
- Derman L. 2000. Runaway: Struggling with water chestnut. *Natural New England* (2):46-49.
- Elser, HJ. 1964. Control of water chestnut by machine, in Maryland, 1964-65. *Proceedings Northeastern Weed Conference* 20:682-687.
- Fassett NC. 1957. A Manual of Aquatic Plants. University of Wisconsin Press, Madison, Wisconsin, USA.
- Feldman RS. 2001. Taxonomic and size structures of phytophilous macroinvertebrate communities in *Vallisneria* and *Trapa* beds of the Hudson River, New York. *Hydrobiologia* 452(1-3):233-245.
- Fernald, M.L. 1950. Gray's Manual of Botany 8th edition. American Book Company, New York.
- Field RT, Philipp KR. 2000. Vegetation changes in the freshwater tidal marsh of the Delaware estuary. *Wetlands Ecology and Management*. [print] June 8(2-3): 79-88. {a} Center for Remote Sensing, Graduate College of Marine Studies, University of Delaware, Newark, DE, 19716, USA
- Findlay S, Blair EA, Nieder WC, Barnaba E, Hoskins S. 1997. Distribution of submerged rooted vegetation beds of the tidal Hudson River. Report to New York Sea Grant, unpublished.
- Findlay S, Shoeberl K, Wagner B. 1989. Abundance, composition, and dynamics of the invertebrate fauna of a tidal freshwater wetland. *Journal of the North American Benthological Society* 8(2):140-148.
- Flora of North America Association ed. 2000. Flora of North America vol. 22. Oxford University Press, Oxford, New York.
- Frodge JD, Thamas GL, Pauley GB. 1990. Effects of canopy formation by floating and submergent aquatic macrophytes on the water quality of two shallow Pacific Northwest lakes. *Aquatic Botany* 38:231-248.

Galanti G, Esposito AT. 1996. Invasive capacity of water chestnut as shown in the management of a natural population in Lago di Candia. *Lakes & Reservoirs: Research and Management* 2(1-2):31-36.

Gangstad EO, Cardarelli NF, 1990. The relation between aquatic weeds and public health. In: Piertese AH, Murphy KJ (eds), *Aquatic weeds: The ecology and management of nuisance aquatic vegetation*. pp 85-90. Oxford University Press, New York.

George RJ, Alben KT. 2000. Characteristics of dissolved organic carbon from *Trapa natans* wetlands and the Hudson River. In: Neider WC, Waldman JR (eds), *Reports of the Tibor T. Polgar Fellowship Program, 1999*.

Gilchrest WR. 1998. A comparison of fish communities in an open and occluded freshwater tidal wetland in the Hudson River estuary. MS Thesis, Bard College, Annandale-on-Hudson, NY.

Gleason HA. 1957. *The New Britton and Brown Illustrated Flora of the Northeastern U.S. and Adjacent Canada*. New York Botanical Gardens, N.Y.

Gleason HA, Cronquist AC. 1991. *Manual of Vascular Plants of the Northeastern United States and Adjacent Canada*. 2nd ed. New York Botanical Garden, Bronx, New York.

Goettel B. 1998. The Silvio O. Conte National Fish and Wildlife Refuge invasive plant control initiative. *Society for Ecological Restoration Northeast Chapter Newsletter* 6(1):4.

Greeley JR. 0960. A new 2,4-D amine pellet for the eradication of water chestnut. *Proceedings Northeast Weed Control Conference* 14:488-495.

Groth AG, Lovett-Doust L, Lovett-Doust J. 1996. Population density and module demography in *Trapa natans* (Trapaceae), an annual, clonal aquatic macrophyte. *American Journal of Botany* 83: 1406-1415.

Gwathmey JH. 1945. Potomac River cleared of 'floating island'. *Maryland Conservation* 21(winter):1-3.

Hall RE. 1982. The effects of leaf and stem damage on fruit production in the water chestnut (*Trapa natans*). MS Thesis, Union College, Schenectady, NY.

Horn GH. 1893. The Galerucini of boreal America. *Transactions of the American Entomological Society* 20:73-81.

Hummel M, Kiviat E. 2004. Review of world literature on Water Chestnut with implications for management in North America. *Journal of Aquatic Plant Management* 42(1):17-28.

Hotchkiss N. 1972. Common marsh, underwater and floating-leaved plants of the United States and Canada, Dover Publications, New York, NY.

Ikeda K, Nakasuji F. 2002. Spatial structure-mediated indirect effects of an aquatic plant, *Trapa japonica*, on interaction between a leaf beetle, *Galerucella nipponensis*, and a water strider, *Gerris nepalensis*. *Population Ecology* 44(1):41-47.

Kadony Y, Schneider E. 1986. Floral biology of *Trapa natans* var. *japonica*. *Bot Mag Tokyo* 99:435-439.

Kamarianos A, Karamanlis X, Fotis G, Altiparmakis J, Kilikidis S. 1988. Effect of Fluridone on *Trapa natans* and *Phragmites communis*. *Journal of Aquatic Plant Management* 26:69

Kelly M, Perrotte W. 1989. The epiphytic invertebrates of *Trapa natans* and *Myriophyllum* at Roosevelt Cove, Hyde Park, New York. In: Blair EA, Waldman JR (eds), Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1988. Hudson River Foundation, New York. pp IV-1 to IV-19.

Khatib MH. 1934. The life-history and biology of *Galerucella birmanica* Jac. (Coleoptera, Phytophaga, Chrysomelidae, Galerucine) and the external morphology of larvae and pupae, part I. *Indian Journal of Agricultural Science* 4:715-729.

Kiss MK, Lakatos G, Borics G, Gidó Z, Deák C. 2003. Littoral macrophyte-periphyton complexes in two Hungarian shallow waters. In: Special Issue: Shallow Lakes 2002, Padisák J, G.-Tóth L, Herodek S, Maberly SC, Tátrai I, Vö L, eds. *Hydrobiologia* 506-509 (1-3): 541-548.

Kiviat E. 1987. Water chestnut (*Trapa natans*). In: Decker D, Enck J, eds. Exotic Plants with Identified Detrimental Impacts on Wildlife Habitats in New York State. p31-38, Cornell Cooperative Extension, Cornell University, Ithaca, NY.

Kiviat, E. 1993. Under the spreading water-chestnut. *News from Hudsonia* 9(1):1-6.

Kiviat, E, Beecher E. 1991. Vegetation in the fresh-tidal habitats of Tivoli Bays, Hudson River. Corrected version. Report to the National Oceanic and Atmospheric Administration, Washington, DC.

Krupauer V. 1971. The use of herbivorous fishes for ameliorative purposes in central and eastern Europe. *Proceedings European Weed Research Council International Symposium on Aquatic weeds* 3:95-101.

Kunii, H. 1988. Longevity and germinability of buried seed in *Trapa* sp. *Memoirs of the Faculty of Science of Shimane University* 22: 83-91.

- Kurihara M, Ikusima I. 1991. The ecology of the seed of *Trapa natans* var. *japonica* in a eutrophic lake. *Vegetatio* 97:117-124.
- Lamont EE, Fitzgerald JM. 2000. Noteworthy plants reported from the Torrey range-2000. *Journal of the Torrey Botany Society* 128(4):409-414.
- Les DH, Mehrhoff LJ. 1999. Introduction of nonindigenous aquatic vascular plants in southern New England: a historical perspective. *Biological Invasions* 1:281-300.
- Limburg KE, Moran MA, McDowell WH. 1986. The Hudson River ecosystem. Springer-Verlag, New York, New York, USA.
- Lu ZJ, Zhu SZ, Chen Z. 1984. Preliminary studies on the beetle (*Galerucella birmanica*) – an insect pest of water chestnut and watershield. *Sci Agric Sinica* 5:73-76.
- Lutz C, Strayer D. 2000. Macroinvertebrates associated with *Vallisneria americana* and *Trapa natans* in Tivoli South Bay. In: Blair EA, Waldman JR (eds), Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1999. Hudson River Foundation, New York. ppIII-1 to III-32.
- Magee DW, Ahles HE. 1999. Flora of the Northeast. University of Massachusetts Press, Amherst.
- Madsen JD. 1993. Waterchestnut seed production and management in Watervliet Reservoir, New York. *Journal of Aquatic Plant Management* 31:271-272.
- Madsen JD. 1994. Invasions and declines in submersed macrophytes in Lake George and other Adirondack Lakes. *Lake and Reservoir Management* 10(1):19-23.
- Mantovani R, Galanti G, Nocentini A. 1992. Biological observations on *Bagous rufimanus* Hoffmann (Coleoptera, Curculionidae) with description of its immature stages. *Aquatic Insects* 14:117-127.
- Menegus F, Cattaruzza L, Scaglioni L, Ragg E. 1992. Effects of oxygen level on metabolism and development of seedlings of *Trapa natans* and two ecologically related species. *Physiol Plant* 86:168-172.
- Methe BA, Soracco RJ, Madsen JD, Boylen CW. 1993. Seed production and growth of waterchestnut as influenced by cutting. *Journal of Aquatic Plant Management* 31:154-157.
- Miki S. 1959. Evolution of *Trapa* from ancestral *Lythrum* through *Hemitrapa*. *Proc Jap Acad* 35(6):289-294.

Mills EL, Leach JH, Carlton J, Secor CL. 1993. Exotic species in the Great Lakes: a history of biotic crises and anthropogenic introductions. *Journal of Great Lakes Research* 19:1-54.

Muenscher WC. 1935. Water chestnut. In: A biological survey of the Mohawk-Hudson watershed. New York State Conservation Department, Supplement to 24th Annual Report (1935), Albany. pp 228-249.

Muenscher WC. 1937. Aquatic vegetation of the Mohawk watershed. In: A biological survey of the lower Hudson watershed. New York State Conservation Department, Supplement to 22nd Annual Report (1933), Albany. pp 234-246.

Muenscher WC. 1944. Aquatic plants of the United States. Cornell University Press, Ithaca NY.

Mirick PG. 1996. Goose grief. *Massachusetts Wildlife* 46(2):15-16.

Naylor M. 2003. Water Chestnut (*Trapa natans*) in the Chesapeake Bay Watershed: A Regional Management Plan. Maryland Department of Natural Resources. 35pp.

Oliver D. 1871. Flora of Tropical Africa, Vol. 2. Reeve, London.

Paillisson J-M, Marion L, 2001. Interactions between coot (*Fulica atra*) and waterlily (*Nymphaea alba*) in a lake: The indirect impact of foraging. *Aquatic Botany* 71:209-216.

Papastergiadou E, Babalonas D. 1993. The relationships between hydrochemical environmental factors and the aquatic macrophytic vegetation in stagnant and slow flowing waters. 1. Water quality and distributions of aquatic associations. *Archives of Hydrobiology Supplement* 90:475-491.

Pappers S.M. 2002. Evolution in action: Host race formation in *Galerucella nymphaeae*, PhD Thesis, University of Nijmegen, Netherlands.

Pelczarski K, Schmidt RE. 1991. Evaluation of a pop net for sampling fishes from water chestnut beds in the tidal Hudson River. In: Blair EA, Waldman JR (eds), Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1990. Hudson River Foundation, New York. ppV-1 to V-33.

Pemberton RW. 1993. Natural enemies of *Trapa* spp. in northeast Asia. In: Proceedings of the 28th Annual Meeting of Aquatic Plant Control Research Program, Baltimore, Maryland. US Army Corps of Engineers Waterways. Miscellaneous Paper A-94-2.

Pemberton RW. 1995. The search for natural enemies of *Trapa natans*. In: Proceedings of the 29th Annual Meeting of Aquatic Plant Control Research Program, Vicksburg, Mississippi. US Army Corps of Engineers Waterways Experimental Station Miscellaneous Paper A-95-3. pp154-157.

Pemberton RW. 1999. Natural enemies of *Trapa* spp. in northeast Asia and Europe. *Biological Control* 14(3):168-180.

Pemberton RW. 2002. Water chestnut. In: Van Driesche R, Lyon S, Blossey B, Hoddle M, Reardon R. 2002. Biological Control of Invasive Plants in the Eastern United States, USDA Forest Health and Technology Enterprise Team, Morgantown, West Virginia. pp 33-40.

Prashad B. 1960. A new aquatic weevil from India, *Bagous trapae*, n. sp. (Curculionidae: Coleoptera). *Indian Journal of Entomology* 22:298-301.

Rawls CK. 1964. Aquatic plant nuisances [sic]. In: Proceedings Interstate Commission on the Potomac River Basin. Washington, DC. pp 51-56.

Rhoads AF, Block TA. 2000. The plants of Pennsylvania. University of Pennsylvania Press, Philadelphia, PA.

Romo S, Galanti G. 1998. Vertical and seasonal distribution of epiphytic algae on water chestnut (*Trapa natans*). *Archiv fur Hydrobiologie* 0:483-504.

Sidari M, Schmidt RE. 1990. Larval fish foods in water-chestnut beds. In: Final Reports of the Tibor T. Polgar Fellowship Program 1989. Hudson River Foundation and New York State Department of Environmental Conservation - Hudson River National Estuarine Research Reserve. pVI-1 to VI-23.

Schmidt KA. 1985. The life of the chrysomelid beetle *Pyrrhalta nymphaeae* (Galerucinae) on water chest-nut, *Trapa natans*. In: Coper, JC (ed.). *Polgar Fellowship Reports of the Hudson River National Estuarine Sanctuary Program National Oceanic, Atmospheric Administration, U.S. Department of Commerce*. Washington, D.C. pp. 1-38.

Schmidt KA. 1986. The life of the chrysomelid beetle *Pyrrhalta nymphaeae* (Galerucinae) on water chest-nut, *Trapa natans* (Hydrochariaceae) [sic], in Tivoli South Bay, Hudson River, NY. In: Blair EA, Waldman JR (eds), *Polgar Fellowship Reports of the Hudson River National Estuarine Research Reserve Program, 1986*. Hudson River Foundation, New York. ppV-1 to V-32.

Schmidt RE, Anderson AB, Limburg K. 1992. Dynamics of larval fish populations in a Hudson River tidal marsh. In: Smith EL (ed), *Estuarine research in the 1980s*. State University of New York Press, Albany, NY. pp 458-475.

Schmidt RE, Kiviat E. 1988. Communities of larval and juvenile fish associated with water chestnut, water milfoil and water celery in the Tivoli Bays of the Hudson River. Report to the Hudson River Foundation, New York.

Sculthorpe CD. 1967. *The Biology of Aquatic Vascular Plants*. Edward Arnold Publishers Limited, London. Singh GP, Lal S. 1965. A new leaf-spot disease of singhara (*Trapa bispinosa*) caused by *Bipolaris tetramera*. *Indian Phytopathology* 18:85-87.

Seymour FC. 1969. *The flora of New England*. Charles E. Tuttle Company, Rutland, Vermont.

Shimada T, Bowman A, Ishida M. 2000. Effects of flooding on a wetland bird community. *Ecological Research* 15(2):229-235.

Smith RH. 1955. Experimental control of water chestnut (*Trapa natans*) in New York State. *New York Fish and Game Journal* 2(2):173-193.

Soil Conservation Service. 1982. National list of scientific names. Vol. 1. Soil Conservation Service Technical Publication 159. U.S. Department of Agriculture, Soil Conservation Service. Washington, DC.

State of Florida, Department of Environmental Protection. 1996. Aquatic plant importation, transportation, non-nursery cultivation, possession and collection. Rules of the State of Florida, Chapter 16C-52.

Stickney M, Hickey C, Hoerr R. 2001 Lake Champlain Basin Program: Working together today for tomorrow. *Lakes & Reservoirs: Research and Management* 6(3):217-223.

Strayer DL, Lutz C, Malcom HM, Munger K, Shaw WH. 2003. Invertebrate communities associated with a native (*Vallisneria americana*) and an alien (*Trapa natans*) macrophyte in a large river. *Freshwater Biology* 48(11):1938-1949.

Tanaka T. 1976. *Tanaka's Encyclopedia of Edible Plants of the World*. Keigaku Publishing Company, Tokyo, Japan.

Tiner RW. 2000. *Wetlands of Saratoga County, New York: Vital resources for people and wildlife*. Cooperative National Wetlands Inventory Publication, US Environmental Protection Agency, New York.

Titus JE. 2003. Submersed plant invasions and declines in New York. *Lake & Reservoir Management*. 10(1):25-28.

Tutin TG, Had VH, Barges NA, Moire DM, Valentine DH, Waiters SM, Web DA. 1968. *Flora of Europe*, Vol. 2. Cambridge University Press, Cambridge, United Kingdom.

Tsuchiya T, Iwaki H. 1979. Impact of nutrient enrichment in a waterchestnut ecosystem at Takahama-iri Bay of Lake Kasumiguara, Japan. II. Role of waterchestnut in primary productivity and nutrient uptake. *Water, Air, and Soil Pollution* 12:503-510.

Tsuchiya T, Iwaki H. 1984. Seasonal changes in photosynthesis and primary production of a floating leaved plant, *Trapa natans* L., community in Lake Kasumiguara, Japan. *Japanese Journal of Ecology* 34:367-374.

Tsuchiya T, Iwakuma T. 1993. Growth and leaf life-span of a floating leaved plant, *Trapa natans* L., as influenced by nitrogen influx. *Aquatic Botany* 46:317-324.

Unni KS. 1984. Seasonal changes in growth rate and organic matter production of *Trapa bispinosa*. *Roxb. Tropical Ecology* 25(1):125-133.

Upendra N, Sarita S. 2001. Distribution of Metals in Aquatic Edible Plants: *Trapa natans* (Roxb.) Makino and *Ipomoea aquatica* Forsk. *Environmental Monitoring and Assessment* 70(3):241-252

USDA, NRCS. 2001. The PLANTS Database, Version 3.1. (<http://plants.usda.gov>). National Plant Data Center, Baton Rouge, LA 70874-4490 USA.

Van Driesche R, Lyon S, Blossey B, Hoddle M, Reardon R. 2002. Biological Control of Invasive Plants in the Eastern United States, USDA Forest Service Publication FHTET-2002-04, 413 p.

Weeden CR, Shelton AM, Li Y, Hoffman MP, Editors. Biological Control: A Guide to Natural Enemies in North America. Cornell University.
<http://nysaes.cornell.edu/ent/biocontrol/weedfeeders/galerucella.html>

Wibbe JH. 1886. Notes from Schenectady. *Bulletin of the Torrey Botanical Club* 13: 39.

Winne WT. 1950. Water chestnut: A foreign menace. *Bulletin to the Schools* 36(7):230-234.

Yozzo DJ. 1990. Fish predation on littoral microcrustacea associated with water chestnut (*Trapa natans*) in Tivoli Bay, a Hudson River tidal freshwater wetland. MS Thesis, University of Virginia, Charlottesville.

Yozzo DJ, Odum WE. 1993. Fish predation on epiphytic microcrustacea in Tivoli South Bay, a Hudson River tidal freshwater wetland. *Hydrobiologia* 257(1):37-46.

Electronic

CBP (Chesapeake Bay Program). 2002. *Invasive Species in the Chesapeake Watershed: Water Chestnut*. Maryland Sea Grant.

Summary: A detailed report on the invasive species, *Trapa natans*, in the Chesapeake Bay watershed. Available from: http://www.mdsg.umd.edu/exotics/workshop/water_chestnut.html [Accessed 21 February 2005]

Haber, E. 1999. *Invasive Exotic Plants of Canada* National Botanical Services.

Summary: A detailed report on the biology, ecology and distribution of *T. natans*. Available from: <http://24.43.24.85/nbs/ipcan/factnut.html> [Accessed 21 February 2005]

USDA-ARS (United States Department of Agriculture, Agricultural Research Service). UNDATED. Taxon: *Trapa natans* L. National Genetic Resources Program. Germplasm Resources Information Network (GRIN). [Online Database] National Germplasm Resources Laboratory, Beltsville, Maryland.

Summary: Information on common names, synonyms, and distribution. Available from: http://www.ars-grin.gov/cgi-bin/npgs/html/tax_search.pl?Trapa+natans [Accessed 21 February 2005]

USDA-NRCS. (United States Department of Agriculture, Natural Resources Conservation Service). 2002. *The PLANTS Database*, Version 3.5. National Plant Data Center.

Summary: A database that contains information on the taxonomy, distribution and characteristics of the water chestnut. Available from: http://plants.usda.gov/cgi_bin/topics.cgi?earl=plant_profile.cgi&symbol=TRNA [Accessed 21 February 2005]

VDEC (Vermont Department of Environmental Conservation). 2002. *Water Chestnut*. Water Quality Division.

Summary: A report on aquatic nuisance species, specifically the Water chestnut. It contains information on the ecology and biology of *Trapa natans*. Available from: <http://www.anr.state.vt.us/champ/atlas/html/is%5Fchestnut.htm> [Accessed 21 February 2005]

Global Invasive Species Database

<http://www.issg.org/database/species/ecology.asp?si=567&fr=1&sts=> [Accessed 19 May 2005]

Illegal Species in South Carolina <http://www.dnr.state.sc.us/water/envaff/aquatic/chestnut.html> [Accessed 19 May 2005]

Invasive and Exotic Species in North America: <http://www.invasive.org> [Accessed 19 May 2005]

Jianqing Ding, Postdoctoral Associate. Investigating the potential for using leaf beetles in the genus *Galerucella* from Asia as biological control agents for water chestnuts, *Trapa natans*. http://www.invasiveplants.net/Personnel/jianqing_ding/jianqing_ding_research.htm [Accessed 19 May 2005]

Maryland Department of Natural Resources
http://www.dnr.state.md.us/bay/sav/water_chestnut.html [Accessed 19 May 2005]

Pennsylvania Department of Conservation and Recreation
<http://www.dcnr.state.pa.us/forestry/wildplant/invasive.aspx> [Accessed 19 May 2005]

Pennsylvania Flora Project <http://www.paflora.org/Aquatic.html> [Accessed 19 May 2005]

Southwest Florida Aquatic Nuisance Species, Surveillance and Education Network
<http://www.swfwc.org/ANS/Impacts.htm> [Accessed 19 May 2005]